

CATALOG





REQUEST A QUOTE

716-695-9000 ESTIMATING@ustrafficcontrol.com

WWW.USTRAFFICCONTROL.COM

SUMMER / WINTER PRODUCTS

SUMMER GEAR

HPSHADE30

Hardhat Shade Fits on KASK Helmets



SOUINCHER **Electrolyte Powdered Beverage Mix**





OCCUNOMIX **TD400** Tuff & Drv Wicking &



COOLING NECK TOWELS AND **BANDANAS**



OCCUNOMIX

LUX-RNG-ST Two-Toned **Solid Top** Ranger Hat



OCCUNOMIX TD500 **Wicking and Cooling** Ranger Hat with Neck **Shade**

OCCUNOMIX 870 Snap-On Hard Hat Sweatband



ML KISHIGO

HI-VIZ Cooling

Neck Shade

1622

FLEECE-LINED PARKA



Fleece-Lined **Bomber Jacket**



CLASS 3 **Pullover** Hoodie



CLASS 3 Full-Zip Hoodie



KISHIGO JS119 Jacket



ICE MELT



8711 / 8713 CLASS 3 **Insulated Pants**



JS121 CLASS 3 Insulated Bomber Jacket



PORTWEST UB316PORTWEST Two-Tone

Ladies Hoodie Jacket



OCCUNOMIX SS260-HVY **BALACLAVA**



PORTWEST LED **Beanie**



PORTWEST LED Twin Beanie



BEANIES Assor ted Colors



HARD HAT LINERS

HI-VIZ APPAREL



_SV272-3ZGM Two Tone Surveyor Solid Front Pockets 4 Pockets



1565 / 1566 Two Tone Economy 1 Pocket



1191 Economy 6 Pocket



1576 / 1577 Two Tone Contrast X-Back 4 Pockets



1505B Breakaway 3 Pockets



_US386 Mesh ANSI Class E 2 Pockets



<u>US388</u> Mesh ANSI Class E



E046 Class E Cargo Pants

HI-VIZ APPAREL CONT.



1242 / 1243

Two Tone Sur veyor 6 Pockets



1567 / 1568

Economy 1 Pocket



KISHIGO 1552B

Class 3 Vest


KISHIGO 1750

Class 3 Vest



S5014

High Performance Surveyor: Padded Neck, Hidden Back Pouch, 7 Pockets



MAN IN IN

SV63





ECONOMY WICKING BIRDSEYE T-SHIRT

(Lime/Orange Short & Long Sleeve Black Bottom Available)

&

HIGH PERFORMANCE STRETCH WICKING W/ SEGMENTED TAPE

(Short Sleeve & Long Sleeve Available)



GLO-G1
High Visibility Mesh
Polyester Gaiters
ANSI Class E



3930 Mesh Gaiters



RWJ102
Storm Cover
Rain Pant
ANSI Class E



RWJ102 Storm Cover Rain Jacket ANSI Class 3 3 Pockets



3PC RAIN SUIT
ANSI Class 3
(Jacket) 4 Pockets

PERSONAL PROTECTIVE EQUIPMENT ACCESSORIES / HEARING PROTECTION



ILLUMAGEAR HALOTM SI HARD HALO LIGHT

The ILLUMAGEAR Halo SL is much more than
a headlamp; it's a revolutionary lighting system
that provides visibility in all directions up to
a quarter-mile away. The new spotlight and task
light features provide the ideal lighting conditions
for any job. So you get it done right.
- Lightweight and cord free, 50ft spotlight, powerful





- LED technology
- 3 brightness levels plus strobe
- Aircraft-grade 6061-T6 aluminum housing with Type III hard anodized finish
- Single switch located on side of the light
- Adjustable ratchet tilt head
- IP-X7 Waterproof
- Chemical, heat, and impact resistant
- 2' Male USB (Type A) to Male Micro-USB (Type B) Cable (Included)
- Powered by a rechargeable Li-ion battery (Included)
- Limited Lifetime Warranty



PERSONAL PROTECTIVE EQUIPMENT GLASSES / GOGGLES



INTRUDER ECO Individual or 12/case



PYRAMEX ZTEK

















OVER GLASSES EYEWEAR



GLOVES







RWG18

















GLOBAL GLOVE 378GKGE

GRIPSTER

RWG22

RWG603

RWG566 TOUCHSCREEN




FIRE RESISTANT



HARD HATS AND ATTACHMENTS







FULL BRIM



VENTED



COLORS AVAILABLE

TYPE 1
ANSI/ISEA
Z89.1-2009
(Class G)





__REFLECTIVE_ _4"x1" HARD HAT STRIPS_ 16 Stickers/Sheet



HHAB HARDHAT
VISOR ATTACHMENT







MESH FACESHIELD

HARD HATS AND ATTACHMENTS



ZENITH X





ANSI Z89.1 + CSA294.1 EN 12492







ZENITH X HI-VIZ ANSI Z89.1-2014 EN12492

SUPERPLASMA HD HI-VIZ ANSI Z89.1 +CSA294.1EN 12492





ZENITH X AIR **ANSI Z89.1, EN12492**

ZENITH X AIR HI-VIZ







ZEN VISOR Clear/Smoke/Mirror



VISOR FULL FACE Smoke/Clear



HEARING PROTECTION **CE EN 352 / ANSI S3.19**



V2 VISOR Clear/Smoke/Mirror



MESH VISOR ANSI Z87.1, EN 1731/F

HARNESSES / LANYARDS / RETACTABLES



FALLTECH 737210 CROSS STRAP



FALLTECH CABLE
PASS THRU SLING









FALLTECH _CONTRACTOR_ _WEB



ROOF GUARDRAIL
Meets OSHA requirements.
Made in USA





Expansion
wedge anchor
for concrete,
5,000lb



FALLTECH FLOTECH 3-D HARNESS



FALLTECH
7073LX
CONTRACTOR
3D construction
belted full body
harness



JOURNEYMAN
FLEX STEEL
1D standard
non-belted
full body harness,
tongue buckle
leg adjustment




FALLTECH
7015
CONTRACTOR
1D Standard
Non-belted full
body harness

WORK ZONE SAFETY







Sold individually or in packs



10 Pack



6 Pack



4 Pack



CONE ADAPTORS







LED & TRADITIONAL ROAD FLARES




Sold Individually or by the
Case
(Quantity 36)



TRIANGLE KITS

WORK ZONE SAFETY

WORK ZONE PRODUCTS



VDOT STOP SLOW PADDLES



COVERS

ROLL-UP WITH 2 PIECE STAFF /HANDLE **COMES WITH BAG FOR EASY STORAGE**









18" AND 24" FLAGS **KNIT OR VINYL**





TYPE A/C D **BATTERY**



TYPE A/C PI-LIT **SEOUENTIAL**

TYPE A/C BATTERY





TYPE B **SOLAR**

MANHOLE COVER LIFT

AIRPORT SAFETY 360 DEGREE SOLAR LIGHTS



BOX



SCREW/ THREADED UNIVERAL **BASE BASE**



ON TOP MATERIAL LIFT



FALLTECH 7509



Brackets



(General

GENERAL EQUIPMENT COMPANY Non-Hazardous Air **Ventilation Blower**

ALLEGRO 9401 **Manhole Guard**

WORK ZONE SAFETY

FLAGGER AND VEHICLE LIGHTING

FLAGGERS STATION & WORK AREA LIGHTING



- · Collapsible aluminum extension mast
- cam lock adjustments with retractable cable
- · Stainless Steel leas
- easy to retract and deploy creating tripod base
- stable on uneven ground
- · Lamp heads independently, directionally adjustable
- · Battery rated for 500+ charge cycles
- push to test voltage meter
- · Charge with clamp style jumper cables
- can jump start vehicle
- DC Power Port
- Operate unit with external 12 VDC power
- run other DC powered electrical devices
- · Yellow LED flasher on unit for added safety
- Weatherproof case
- · Lifetime warranty on light heads
- · One year replacement warranty on battery and charger



FENIEX FUSION ARROW BOARD


40" ARROW BOARD IS IDEAL FOR D.O.T., TRAFFIC, CONSTRUCTION OR TOW VEHICLE. THE FUSION ARROW **BOARD FEATURES LEFT, RIGHT, AND CENTER-OUT ARROW** PATTERNS AS WELL AS STANDARD WARNING PATTERNS FOR MAXIMUM VISIBILITY, SAFETY, AND TRAFFIC FLOW



Available in 17", 24", 36", 42", 48", 54", or 60



Available in 17", 24", 36", 42", 48", 54", or 60





BACKUP WARNING



LED BEACONS **Available in Permanent** & Magnetic Mount



MINI SURFACE MOUNT Dual Available **Black or White Housing**



DECK/GRILLE MOUNT

TOOLS & ACCESSORIES







TOOLS & ACCESSORIES

FENCE / LOAD SECURING / FUEL / HANDTOOLS

SAFETY FENCE

4' X 100' Roll Oak



TARP STRAPS



RATCHET STRAPS



BINDERS

CHAINS

18" & 26" CONVEX MIRRORS



11 Stakes per 100'

3 MIL & REINFORCED

RED

Most widely used for flammable liquids such as gasoline.



BLUE

Frequently used for storage of the kerosene.



YELLOW

Can be used to designate the storage of diesel







LUTES



BARS & TAMPERS



SCRAPERS



SHOVELS & SCOOPS



POST HOLE DIGGERS



RAKES

CUSTOM & MUTCD SIGNS











W20-7 W1-1R





M4-10R

INTERSTATE

M1-1



W1-8

N0

ANY

TIME

R7-1

R1-2





R2-1





W20-1 W16-7P

M3-4

W11-2

WE OFFER PERMANENT SIGN BRACING OR Z-BAR INSTALLATION



TRUCK MOUNTED MUTCD

OPTIONS AVAILABLE!

PILOT CAR FOLLOW ME

G20-4

KEEP BACK 100 FΤ

W20-V10

WORK VEHICLE FREQUENT TURNS

G20-V1


WE MAKE TMA SIGNS!

CUSTOM SIGNS, BANNERS, & DECALS!

ROLL UP SIGNS & STANDS



ALL STANDS ARE NCHRP-350 APPROVED & DOT APPROVED



SPRING SIGN STAND

SIGN POSTS / BRACING / STREET SIGNS



U-CHANNEL


- Punched full length of post
- Powder coated green or hot dipped galvanized finish
- •Posts available in lengths of 6', 7', 8', 9', 10', 11', 12'
- •Posts 2# and 3# per foot
- •7' Galvanized 1.33# per foot (per VDOT spec)




POST DRIVING / EXTRACTING



SQUARE POST ANCHORS



STREET SIGNS



Flat

6" TALL FLAT OR EXTRUDED BLADE SIGNS ARE AVAILABLE IN: 24", 30", 42", 48" Lengths

9" TALL FLAT OR EXTRUDED BLADES ARE AVAILABLE IN:


24", 30", 36", 42", 48" Lengths



SIGN POSTS / BRACING / STREET SIGNS CONT.

QUICKPUNCH





Part Number	Length x Size	Wall Thickness
PSTS10X2GA12	10' x 2" x 2"	12 GA
PSTS10X2.5GA12	10' x 2.5" x 2.5"	12 GA
PSTS12X2GA12	12' x 2" x 2"	12 GA
PSTS12X2.5GA12	12" x 2.5" x 2.5"	12 GA
PSTS14X2.5GA12	14' x 2.5" x 2.5"	12 GA

Part Number	Length x Size	Wall Thickness
PSTS8X2GA14	8" x 2" x 2"	14 GA
PSTS10X2GA14	10' x 2" x 2"	14 GA
PSTS12X2GA14	12' x 2" x 2"	14 GA
PSTS14X2GA14	14" x 2" x 2"	14 GA

Part Number	Length x Size	Wall Thickness	
PSTS6X2.188GA10	10' x 2 3/16" x 2 2/16"	10 GA (Heavy-Duty)	
PSTS10X2.5GA10	10' x 2.5" x 2.5"	10 GA (Heavy-Duty)	
PSTS12X2.188GA10	12' x 2 3/16" x 2 3/16"	10 GA (Heavy-Duty)	
PSTS12X2.5GA10	10' x 2.5" x 2.5"	10 GA (Heavy-Duty)	
PSTS14X2.5GA10	14' x 2.5" x 2.5"	10 GA (Heavy-Duty)	
PSTS16X2.5GA10	16' x 2.5" x 2.5"	10 GA (Heavy-Duty)	

ROUND



Available Lengths: 10', 12', 13' Diameter: 2 3/8"

ROUND POST SIGN CLAMP



SLIP BASES



MOUNTING BRACKETS







PAVEMENT SUPPLIES

PAVEMENT MARKING & PAINT



SETFAST ACRYLIC WATERBASED & FAST DRY **ALKYD OILBASED TRAFFIC MARKING PAINT**



TITAN 850

WHEEL STOPS



- •6' SLOTTED
- •TRUCK DOT-APPROVED
- •6' RUBBER





MARKING / FLAGGING



PAVEMENT SUPPLIES

THERMOPLASTICS



GLASS BEADS

Potters' Standard Highway Safety Marking Spheres meet or exceed every adopted highway safety marking sphere standard in effect today (AASHTO M247)

HOT APPLIED THERMOPLASTICS



TITAN THERMOMARK 250



GRACO LINELAZER V 130HS



THERMOOMIT TIC







BAGGED THERMOPLASTIC



TRAILER MOUNT
THERMOPLASTIC
PREMELTER
TP1500



STENCILS





CONTRAST TAPE

PERMANENT / TEMPORARY TAPE



PRE-FORMED THERMOPLASTICS



EASYPOUR CONCRETE FORMING TUBES






PAVEMENT SUPPLIES

PAVEMENT & CRACK SEALANTS





Neyra Force is a water-based, petroleum resin sealer that outperforms traditional pavement sealers. While providing the benefits of a coal tar sealer, Neyra Force is environmentally friendly and safe for your employees to apply.







PLYOLASTIC
Pourable
Crack
Filler





RY10MA-PRO

QUAPHALT S

RE aktiv

Asphalt

AGUAPHA.

THERMOFLEX GATORFILL

Hot Applied Crack/Joint Thermosealant Trowelable Surface Mastic

RY10MA

AQUAPHALT

Finally! A Permanent, Environmentally Friendly Asphalt Patch

Revolutionary permanent asphalt and concrete repair material for pothole repair, pavement repair, utility cuts, walkways, tennis courts and driveway repair — it works even in wet and cold conditions

- Eco-friendly binder reacts and hardens with only water—no toxic solvents
- Aquaphalt is laid directly from its container—no need to mobilize large crews and equipment
- Minimizes roadway disruption vineed for special preparations.
- Pre-mixed and permanent Aquapta a one-time fix

HIGHWAY SAFETY DEVICES

ATTENUATORS & SAND BARRELS



PORTABLE RUMBLE STRIPS





DEMO OF USE AVAILABLE





HIGHWAY SAFETY DEVICES

CONES & CONE ATTACHMENTS



CONE VARIATIONS









HIGHWAY SAFETY DEVICES



MOUNT

BARRICADES

FG300



DIAMOND GRADE **PATTERN**

Available Widths 2", 4", 6"



1" X 150', 2" X 150', 4" X 150', 6" X 150', AND 8" X 150' **GREAT FOR HARD HAT STRIPS!**



BUTYL PADS

WATER-FILLED BARRIER Fencing Attachment Optional

Available For **Purchase Or Rent**




MOT EQUIPMENT SALES & RENTALS

ARROW BOARDS / SPEED CAM / LIGHTS / FLAGGER







VER-MAC ST-4815 PRO SERIES



SP-3248V SPEED CAM

WANCO TRUCK MOUNTED ARROW BOARDS





•24 × 48 (61 × 122) •30 × 60 (76 × 152)

•36 × 72 (92 × 183)

•48 × 96 (122 × 244)

VER-MAC PTL1000



Ver-Mac's PTL1000
is a compact, battery
powered portable target
light. The PTL-1000
features Ver-Mac's
exclusive Nightbrite
Technology

WANCO COMPACT



Up to 18 units on a single truck, aim lights from the ground, heavy gauge all steel body, tallest mast in class at 24 1/2 FT; largest fuel tank in class at 60 GAL

MOT EQUIPMENT SALES & RENTALS

VARIABLE MESSAGE BOARDS / TRAFFIC SIGNAL





VER-MAC PCMS 548LE

VER-MAC PCMS 320

VER-MAC PCMS 4880

NORTH AMERICA TRAFFIC RCF 2.4 AFAD


The automated flagger assistance device can be used on many DOT jobsites and is MUTCD compliant.

Still recognized today as the SAFEST ALTERNATIVE to human flagges for temporary work-zone traffic control.



The CT-2430 camera trailer is perfect to remotely monitor work zones, construction sites, special events or any application where permanent cameras are not available or feasible.

20' or 30' mast available.



TLD-2312


software (optional)



CAST TILES / FLEXIBLE TILES

CAST TILES / FLEXIBLE TILES







The Cast-in-Place panel is a great long term solution for any project or climate. Made with a durable exterior homogenous glass, carbon, and fiberglass reinforced composite material; the thick, heavy panel and sturdy embedment ribs ensure a strong bond and superior structural support.



The <u>Surface Applied</u> panel is the perfect solution for retrofitting existing concrete surface or new construction, our surface applied detectable warning panels are constructed of an exterior grade, fiberglass polymer composite material.

FLEXIBLE SIGNS | BOLLARDS | COVERS



R1-6a

R1-6

SAFETY PRODUCTS

FIRST AID / EMERGENCY SUPPLIES

CUP SLEEVE ACCESSORY (Sold Seperately) Available in 3G, 5G, & 10G



TRUCK MOUNT ACCESSORY (Sold Seperately)



4G Refillable bucket 3L Jar



ECONOMY 1.52G in high visibilty bag

SPILL FIX SPILL KITS



Oil Only Medium Absorbant Mat Pad



UNIVERSAL 65G Overpack Salvage Drum



UNIVERSAL 20G Overpack Salvage Drum

FIRE EXTINGUISHERS

FIRST AID KITS



2.5LBS & 5LBS W/ VEHICLE MOUNT 10LBS, 20LBS, 30LBS





10 Person Kit (Plastic or Metal)

SMALL EQUIPMENT

FULL LINE DEALER







WI 2000CP



WI 2000P





CS-590-18, 20



PB-8010T





MVC82

QP3TK TRASH PUMP



SMALL EQUIPMENT

SMALL EQUIPMENT



OPTIMAX 9 & 13HP BLOWER















GOLD STANDARD

IMPERIAL PURPLE









CONCRETE VIBRATOR

IQM 5362

